



联系电话 021-67601510
sales@empower.cn
www.empower.cn



8

84 B 105

16

73 E3166

2966 18 3



202409 400-670-1510 4hathc)0Ps b4tI4YX4FD2P AG88B2DD4xW2TxRW7CjdxE28E2Y3#x(EVXF5XBa0e48F7chDaPfBdSt5je8eseBedeilC03qVSV1Ewqcs\$QCceQ2eQ4c0IHCDIFe2A23t25bb6@CSe4tLhG8sF4#E4hQ@16QRd4h3F0E4h@1A4xtepi1pc1W5pbS56p5pc4%5Awp1zE2FUEQ1HQV1H3@%A4DtBRB34EBb0

xPLC
 xCon_ g
 xStudio


xStudio IEC61131-3 4.0
 xStudio xStudio (PLC) (Motion Control)
 CNC




xStudio
 xStudio
 (xStudio Runtime)



xStudio Runtime
 CPU
 CPU X86
 ARM Cortex
 CPU









xCon_ g

- EtherCAT
-
-
-
- EtherCAT SDO PDO DC
- EtherCAT
- xNC xCNC


xPLC

- IEC61131-3 (FBD) (LD) (IL) (ST) (SFC);




xStudio Runtime

- IEC61131-3
-
- CPU ARM Cortex CPUs Intel X86(32 64);
- Linux Windows7/8/10
- EtherCAT



xStudio xCNC

-
- G M
-
-
- 9
-




RTCP

xStudio xNC

xNC PLCopen-motion control

PTP

- 100
- PTP
- PTP
-
-
-



xStudio xRNC

- SCARA
- ...



xStudio

